AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

| 1 | 1-37 | (Canceled) |
|----|--|--|
| 1 | 38. | (New) A computer implemented client method for dynamically managing |
| 2 | a user softwa | re license, the method comprising: |
| 3 | | receiving an action from the user to access a feature from one or more |
| 4 | | features of a software program; |
| 5 | | responsive to receiving the action from the user, sending a request to a |
| 6 | | server to access the feature of the software program, the request |
| 7 | | including identification information concerning the user, and |
| 8 | | license verification information concerning the user; |
| 9 | | receiving current software license information concerning the user from |
| 10 | | the server; and |
| 11 | | storing received current software license information concerning the user. |
| | | |
| 1 | 39. | (New) The method of claim 38 wherein the received current software |
| 2 | license information concerning the user indicates that the user is not licensed to run the | |
| 3 | software program, the method further comprising performing at least one step from a | |
| 4 | group of steps comprising: | |
| 5 | | displaying a message to the user indicating that the user is not licensed to |
| 6 | | run the software program; |

| 7 | | providing the user with an opportunity to purchase a license to run the |
|----|----------------|--|
| 8 | | software program; |
| 9 | | allowing the user to run the software program without a license for a |
| 10 | | limited time only; |
| 11 | | allowing the user to run the software program without a license a limited |
| 12 | | number of times only; and |
| 13 | | terminating the software program, such that the user cannot run the |
| 14 | | software program. |
| 1 | 40. | (New) The client method of claim 38 wherein: |
| 2 | | the received current software license information concerning the user |
| 3 | | comprises modified license information concerning the user. |
| 1 | 41. | (New) The client method of claim 40 wherein the modified license |
| 2 | information of | concerning the user comprises a user software license from a group of user |
| 3 | software lice | nses comprising: |
| 4 | | an activated user software license; |
| 5 | | a deactivated user software license; |
| 6 | | an extended user software license; |
| 7 | | a restricted user software license; |
| 8 | | an upgraded user software license; and |
| 9 | | a downgraded user software license. |
| | | |
| 1 | 42. | (New) The client method of claim 38 wherein receiving current software |
| 2 | license inform | nation concerning the user includes a hardware configuration identifier of a |
| 3 | computer ass | ociated with the user, the method further comprising: |
| 4 | | creating a current hardware configuration identifier of the computer |
| 5 | | associated with the user; and |
| 6 | | comparing the received hardware configuration identifier to the current |
| 7 | | hardware configuration identifier. |

| 1 | 43. | (New) The client method of claim 42 further comprising: |
|----|----------------|---|
| 2 | | responsive to the received hardware configuration identifier being |
| 3 | | acceptably similar to the current hardware configuration |
| 4 | | identifier, allowing the user to run the software program. |
| | | |
| 1 | 44. | (New) The client method of claim 42 further comprising: |
| 2 | | responsive to the received hardware configuration identifier not |
| 3 | | being acceptably similar to the current hardware |
| 4 | | configuration identifier, terminating the software program, |
| 5 | | such that the user cannot run the software program. |
| | | |
| 1 | 45. | (New) The client method of claim 42 further comprising: |
| 2 | | responsive to the received hardware configuration identifier not being |
| 3 | | acceptably similar to the current hardware configuration identifier, |
| 4 | | performing at least one step from a group of steps comprising: |
| 5 | | displaying a message to the user indicating that the user is not |
| 6 | | licensed to run the software program; |
| 7 | | providing the user with an opportunity to purchase a license to run |
| 8 | | the software program; |
| 9 | | allowing the user to run the software program without a license for |
| 10 | | a limited time only; and |
| 11 | | allowing the user to run the software program without a license a limited |
| 12 | | number of times only. |
| | | |
| 1 | 46. | (New) A computer program product for dynamically managing a user |
| 2 | software licer | nse, the computer program product comprising: |
| 3 | | a processor; |
| 4 | | a memory; |

| 5 | program code for receiving an action from the user to access a feature |
|----|--|
| 6 | from one or more features of a software program; |
| 7 | program code for, responsive to receiving the action from the user, sending |
| 8 | a request to a server to access the feature of the software program, |
| 9 | the request including identification information concerning the |
| 10 | user, and license verification information concerning the user; |
| 11 | program code for receiving current software license information |
| 12 | concerning the user from the server; |
| 13 | program code for storing received current software license information |
| 14 | concerning the user; and |
| 15 | a computer readable medium on which the program codes are stored. |
| 1 | 47. (New) A computer system for dynamically managing a user software |
| 2 | license, the computer system comprising: |
| 3 | |
| | means for receiving an action from the user to access a feature from one |
| 4 | or more features of a software program; |
| 5 | means for, responsive to receiving the action from the user, sending a |
| 6 | request to a server to access the feature of the software program, |
| 7 | the request including identification information concerning the |
| 8 | user, and license verification information concerning the user; |
| 9 | means for receiving current software license information concerning the |
| 10 | user from the server; and |
| 11 | means for storing received current software license information concerning the |
| 12 | user. |